



# INDEX MAPS.

**T.31 N. R.15 E. 2<sup>nd</sup> Mer.**



**T.32 N. R.15 E. 2<sup>nd</sup> Mer.**



The figures on the lines refer to the page.

49

Township N. 31 North. Range N. 15 East of 3<sup>rd</sup> Mer. Indian

South Boundary var. 5° 30' E.

East On South Boundary of Sec. 31  
 40.00 Set a gr. Sec. post. from which  
 a B. Ash 6 in. diam. bears N. 20 E. 12 links dist. &  
 a Cottonwood 14 in. " " N. 30 W. 16 " "  
 80.00 Set a post corner to Sec. 31 + 32 from which  
 a W. Ash 15 in. diam. bears N. 72 W. 9 links dist. &  
 an Elm 14 " " " N. 20 E. 21 " "  
 Land 3<sup>rd</sup> rate. Timber. B. Ash. W. Ash. Elm. &c.

---

East On South Boundary of Sec. 32  
 40.00 Set a gr. Sec. post. from which  
 a Lym 16 in. diam. bears N. 55 W. 15 links dist. &  
 a W. Ash 14 " " " N. 60 E. 19 " "  
 80.00 Set a post corner to Sec. 32 + 33 from which  
 a Lym 10 in. diam. bears N. 38 W. 25 links dist. &  
 a Red Oak 8 in. " " N. 59 E. 9 " "  
 Land 3<sup>rd</sup> rate. Timber. B. Ash. Elm. Lym.  
 Hickory. Cottonwood &c.

---

East On South Boundary of Sec. 33  
 40.00 Set a gr. Sec. post. from which  
 a Maple 14 in. diam. bears N. 48 W. 32 links dist. &  
 a Do 14 " " " N. 20 E. 21 " "  
 80.00 Set a Post corner to Sec. 33 + 34 from which  
 a B. Ash 14 in. diam. bears N. 46 E. 4 links dist. &  
 a Gycamore 12 in. " " N. 51 W. 25 " "  
 Land 3<sup>rd</sup> rate & very Wet. Timber. B. Ash.  
 Elm. Maple. Gycamore &c.

---

East On South Boundary of Sec. 34  
 40.00 Set a gr. Sec. post. from which  
 a B. Ash 10 in. diam. bears N. 45 E. 10 links dist. &  
 a Do 14 " " " N. 61 W. 13 " "  
 80.00 Set a post corner to Sec. 34 + 35 from which  
 a B. Ash 8 in. diam. bears N. 21 W. 7 links dist. &



T 31 N. R 15 E 2nd Mer. Indiana

a B. Ash 9 in. diam. bears N 55 E 5 links dis  
Land B. Ash Swamp. Timber, B. Ash,  
Maple, Aspin &c.

East On South Boundary of Sec 35  
23. 28 'Intersect State line' and  
Set post Corner to Towns 30 + 31 and  
between Sec. 2. + 35 from which  
a B. Ash 12 in. diam. bears S 68 W. 10 links dis.  
a Do 8 " " " N. 57 W. 9 " "  
Measured South 25 + 25 in the State line  
to the corner of Sec. 30 & 31 T. 2. N. R 1 E.  
of the 1<sup>st</sup> Mer. in the State of Indiana  
Surveyed by

North Boundary var. 50 30 E.  
East On North Boundary of T. 6 S. 32 N. 16  
10 20 A Stream 15 links wide. Course, N. E.  
1. 33 A Do 15 " " " SE.  
9. 93 An Elm 24 in. diam.  
11. 40 A Stream 16 links wide. N E Course  
11. 80 A Do 18 " " SE  
12. 14 A Do 18 " " N. E.  
13. 33 A Do 18 " " SE.  
30. 04 A Buckeye 14 in. diam.  
31. 30 A Stream 16 links wide. Course, SE.  
40. 00 Set a gr. Sec post. from which  
a Beech 14 in. diam. bears N. 66 W. 47 links dis.  
a Do 20 " " " North 18 " "  
71. 91 An Ironwood 5 in. diam.  
80. 00 Set a post Corner to Sec. 5 + 6 from which  
a Burr Oak 22 in. diam. bears N. 32 W. 3 links dis.  
a Buckeye 14 " " " N. 38 E. 17 " "  
Land level + 2<sup>nd</sup> water. Timber. Elm. Ash. + Beech  
Undergrowth B. Hawn + Sycamore. Spice &c.

51

T 31 N. R 15 E 2<sup>nd</sup> Mer. Indiana.

East On North Boundary of Sec 5.

4.95 A Stream 12 links wide. Course, S.E.  
13.36 Do 12 " " " South,

18.38 A Beech 18 in. diam.

40.00 Set a q. Sec. post from which  
an Ironwood 5 in. diam. bears N. 79 W. 26 links dist. &  
a Beech 7 " " " N. 37 E. 12 " "

52.97 A Sugar 18 in. diam.

71.50 A Hickory 8 " "

80.00 Set post Corner to Sec. 4 + 5 from which  
a W. Oak 60 in. diam. bears N. 28 W. 33 links dist. &  
an Ironwood 4 in. " " N. 5 E. 11 " "  
Land level + set 2<sup>nd</sup> rate. Timber, Beech  
Oak, Hickory, &c. Undergrowth Buckeye,  
Ironwood &c. &c.

East On North Boundary of Sec 4

18.70 A Burr Oak 57 in. diam.

40.00 Set a post Corner to Sec. from which  
a Burr Oak 40 in. diam. bears N. 74 W. 9 links dist. &  
a Linn 6 " " " N. 57 E. 11 " "

51.04 A Burr Oak 54 in. diam.

68.45 A Sycamore 36 " "

80.00 Set post Corner to Sec. 3 + 4 from which  
a Beech 13 in. diam. bears N. 81 W. 28 links dist. &  
an Ironwood 4 in. " " N. 31 W. 5 " "  
Land level + set 2<sup>nd</sup> rate. Timber - S. Ash,  
Oak, Elm, &c. Undergrowth Spice Ironwood,  
&c. &c.

East On North Boundary of Sec 3

31.19 A S. Ash 11 in. diam.

40.00 Set a q. Sec. post from which  
a S. Ash 15 in. diam. bears N. 80 W. 20 links dist. &  
a Burr Oak 30 in. " " N. 41 E. 35 " "

55.50 A Sycamore 40 " diam.

T 31 N. R 15 E 2<sup>nd</sup> Mer. Indiana.

- 66.84 An Elm 18 in. diam.  
 80.00 Set a post corner to Sec. 2 + 3 from which  
 a Hickory 10 in. diam. bears N. 43 W. 22 links dist. &  
 a Linn 14 " " " N. 78 E. 16 " "  
 Land & Timber same as before

- East On North Boundary of Sec. 2  
 12.04 A W. Elm 24 in. diam.  
 → 20.85 Intersect Ohio + Indiana State line 296  
 links North of the 14 3<sup>rd</sup> mile post, where  
 Set a post corner to Towns 31 + 32 1<sup>st</sup> 1<sup>st</sup>  
 Range 15 East. from which  
 a Black Ash 24 in. diam. bears S. 86 1/2 W. 18 links dist.  
 & a Do 3 " " " N. 30 W. 18 " "  
 Land level + not inferior 2<sup>nd</sup> rate, Timber  
 Elm, Ash, &c. Undergrowth Spice and  
 P. Ash. &c. &c. Surveyed by  
 Benj. J. Blythe Esq.

- (West Boundary var. 5 30' 6")  
 North On East Boundary of Sec 36. T 31 N. R 14 E  
 40.00 Set a post from which  
 a Maple 18 in. diam. bears S. 44 W. 4 links dist. &  
 an Oak 12 " " " N. 65 E. 13 " "  
 70.80 A Hickory 14 in. diam.  
 80.00 Set a post corner to Sec. 25 + 36 from which  
 an Oak 18 in. diam. bears S. 48 E. 9 links dist. &  
 an Ash 7 " " " N. 21 W. 20 " "  
 Over swampy Land

- North On East Boundary of Sec 25. T 31 N. R 14 E.  
 15 74 A Cottonwood 15 in. diam.  
 40.00 Set a post. Cor. to 1/4 Sec. from which  
 a Linn 7 in. diam. bears S. 5 W. 20 links dist. &  
 a Do 7 " " " N. 37 E. 9 " "  
 59.05 An Oak 24 in. diam.



T 31 N. R 15 E 3rd Mer. Indiana. 53

80.00 Set a post Corner to Sec. 24 + 25 from which  
 a Spruce 8 in. diam. bears S. 37 W. 30 links dist. &  
 an Ash 18 " " " N. 37 E. 10 " "  
 Land & same as before

North On East Boundary of Sec. 24 T 31 N. R. 14 E.

15.00 A Swamp E + W.

30.00 To Dry land

40.00 Set a gr. Sec. post from which  
 an Oak 20 in. diam. bears N. 29 E. 6 links dist. &  
 a Maple 12 " " " S. 67 W. 10 " "

80.00 Set post Corner to Sec. 13 + 24 from which  
 an Elm 8 in. diam. bears S. 70 E. 7 links dist. &  
 an Ash 10 " " " S. 77 W. 21 " "  
 Land & Timber as before.

North On East Boundary of Sec 13 T 31 N. R 14 E

40.00 Set a gr. Sec. post from which  
 a Birch 10 in. diam. bears S. 28 E. 19 links dist. &  
 a Maple 14 " " " N. 25 E. 17 " "

62.00 Intersect the Maumee River & set post  
 from which  
 a Spruce 14 in. diam. bears S. 73 W. 5 links dist. &  
 a Oak 14 " " " N. 5 E. 8 " "

North Continued On East Boundary of Sec 13  
 Beginning as a post on the South Bank of  
 the Maumee River.

Measured & reconed from the Corner of Sec. 13  
 + 24 On East side of Sec 13

66.00 Set post on the Left Bank of Maumee River  
 Course N. E. from which  
 a Blue Ash 24 in. diam. bears N. 59 W. 23 links dist.  
 a Sugar 30 " " " N. 78 E. 40 " "

80.00 Set a post Cor to Sec. 12 + 13 from which  
 a B. Ash 18 in. diam. bears S. 21 W. 35 links dist. &  
 an Ironwood 6 in. " " N. 31 W. 14 " "

T 31 N. R 15 E 2<sup>nd</sup> Mer Indiana

Land level 2<sup>nd</sup> rate. Timber. Oak. Beech  
& Hickory. Undergrowth Spice & Greenwood.

North On East Boundary of Sec 12. T 31 N. R 14 E.  
21. 23 An Elm 15 in. diam.

40.00 Set a gr. Sec. post. from which  
a Red Oak 36 in. diam. bears S. 7 W. 45 links dist. &  
a Maple " " " N. 24 W. 36 " "

60.04 A Hickory 16 in. diam.

80.00 Set a post Corner to Sec. 1 + 12 from which  
a Hickory 17 in. diam. bears S. 20 W. 50 lks. dist. &  
an Elm 10 " " " N. 23 W. 8 " "

Land level & Not 2<sup>nd</sup> rate. Timber. Elm.  
Swamp Ash, & Hickory. Undergrowth  
S. Ash. Spice & Greenwood.

North On East Boundary of Sec 1. T 31 N. R 14 E.

8. 15 A S. Ash 18 in. diam.

30. 16 A Hickory 24 in. "

40.00 Set a gr. Sec. post from which  
a Beech 15 in. diam. bears South 15 links dist. &  
a Sugar 20 " " " N. 26 W. 31 " "

53. 00 A Stream 35 links wide. Course N. E.

71. 58 A Beech 14 in. diam.

79. 50 A Stream 15 links wide. Course N. E.

80.00 Set post Corner to Towns 31 + 32 North. Ranges  
14 + 15 East. Sec. 1. 6. 31 + 36 from which  
a Buckeye 15 in. diam. bears N. 21 W. 18 links dist. &  
a B. Ash 15 " " " N. 53 E. 31 " "

Land & Timber same as before

Surveyed by  
David Willis (D. L.)

Subdivisions Jan. 6<sup>th</sup> 1856

North Between Sec. 31 + 32

15. 60 A Hickory 15 in. diam.

- 40.00 Set a gr Sec. post from which  
 a Hickory 15 in. diam. bears S. 45 E. 16 links dist. &  
 a Maple 24 " " " N. 40 W. 7 " "
- 55.60 A B. Ash 12 in. diam.
- 80.00 Set a post Corner to Sec. 29. 30 31 + 32  
 from which  
 an Aspin 12 in. diam. bears S. 43 E. 7 links dist. &  
 an Elm 6 " " " N. 60 W. 21 " "
- Land met. Timber. W. Ash. Elm. Aspin,  
 Cottonwood. Sycamore &c. A B. Ash Swamp

- West Between Sect 30 + 31 On Randem
- 14.39 An Aspin 15 in. diam.
- 40.00 Set Temporary gr Sec post.
- 61.29 A Cottonwood 16 in. diam.
- 81.00 Intersect the West Boundary 30 links N. of Post.  
 Land not suitable. Timber. B. Ash.  
 Aspin + Cottonwood.

- East Connected between Sect. 30 + 31
- 40.50 Marked a Spruce 10 in. diam. for  $\frac{1}{4}$  Sec Corner,  
 40.50 from which  
 a B. Ash 16 in. diam. bears S. 84 W. 30 links dist. &  
 81.00 to Sec Corner

- North Between Sect. 29 + 30
- 22.96 A Spruce 15 in. diam.
- 40.00 Set a gr. Sec post from which  
 an Elm 8 in. diam. bears S. 54 E. 3 links dist. &  
 a D. 12 " " " N. 50 W. 16 " "
- 60.33 A Cottonwood 18 in. diam.
- 80.00 Set a post Corner to Sect. 19. 20. 29 + 30  
 from which  
 a Maple 24 in. diam. bears S. 68 E. 7 links dist. &  
 a B. Ash 14 " " " S. 63 W. 23 " "
- Land very met. Timber. Cottonwood. Sycamore.



T 31 N. R 15 E 2nd Mer. Indiana

B. Ash. Elm. Aspin. &c.

West On Random between Sec. 19 + 30  
 20. 09 A Hickory 18 in. diam.  
 40. 00 Set Temporary q. Sec. post.  
 81. 22 Intersect the West Boundary 62 links South  
 of the Post.  
 Land Met. Timber. B. Ash. Elm. Linn.  
 Sycamore. Cottonwood. Water Birch &c.

East Corrected between Sec. 19 + 30  
 40. 01 Set a post for  $\frac{1}{4}$  Sec. on true line from which  
 a Hickory 18 in. diam. bears S. 91 E. 27 links dis. &  
 a Sycamore 15 " " " N. 33 W. 18 " "  
 81. 22 To Sec. corner

North Between Sec. 19 + 20  
 23. 84 A Hickory 15 in. diam.  
 40. 00 Marked a W. Ash 14 in. diam. for  $\frac{1}{4}$  Sec. corner  
 41. 50 To a Willow Brush Swamp E + N.  
 52. 00 Left the same  
 64. 10 A Hickory 18 in. diam.  
 80. 00 Set a post Corner to Sec. 17. 18. 19 + 20  
 from which  
 a B. Ash 18 in. diam. bears S. 7 E. 9 links dis. &  
 a Linn 20 " " " N. 29 W. 21 " "  
 Land 3<sup>d</sup> rate. Timber. Linn + Hickory

West On Random between Sec. 18 + 19  
 40. 00 Set Temporary q. Sec. post  
 82. 24 Intersect the West Boundary 1.25 links South  
 of the post.  
 Land very wet. Timber. Cottonwood. B. Ash  
 Sycamore. Linn. &c.

East Corrected between Sec. 18 + 19

T 31 N. R 15 E 2nd Mer. Indiana. <sup>57</sup>

41.12 Set a q. Sec. post at aver. dist. from which  
a B. Ash 10 in. diam. bears S 85 W. 3 links dist. &  
a Do 14 " " " N 72 E. 24 " "  
82.24 To Sec. Corner

~~North Between Sec. 17 & 18  
20.00 A Sycamore 18 in. diam.  
40.00 Set a q. Sec. post from which  
a B. Ash 18 in. diam. bears S 62 E. 35 links dist. &  
an Elm 15 " " " N. 48 W. 46 " "  
80.00 Set a post Corner to Sec. 7, 8, 17 & 18 from which  
a Hickory 18 in. diam. bears S 56 W. 47 links dist.  
a Do 20 " " " N. 56 E. 42 " "  
Land 3<sup>d</sup> rate. Timber. B. + W. Ash Elm.  
Gymn. Hickory. &c. &c.~~

North Between Sec. 17 & 18  
20.00 A Sycamore 18 in. diam.  
40.00 Set a q. Sec. post from which  
a B. Ash 18 in. diam. bears S 62 E. 35 links dist.  
an Elm 15 " " " N. 48 W. 46 " "  
80.00 Set a post Corner to Sec. 7, 6, 17 & 18  
from which  
a Hickory 18 in. diam. bears S 56 W. 41 links dist.  
a Do 20 " " " N. 56 E. 42 " "  
Land 3<sup>d</sup> rate. Timber. Elm. B + W. Ash &c.

West On Roadway between Sec. 7 & 18  
32.23 Intersect the Maumee River NE.  
Set post Corner to Sec. 7 & 18 from which  
a Blue Ash 18 in. diam. bears S 84 E. 1.25 links dist.  
a Hickory 20 " " " N. 80 E. 1.11 " "  
Land 1<sup>st</sup> rate. Timber. W. + R. Oak.  
Beech. Sugar Walnut. W + Blue Ash.  
Buckeye. Hackberry. &c. Undergrowth Spice  
Shonwood. Gymn. Popwood. pawpaw &c.

For line bet. sec. 7 & 8 sup. 74

T 31 A R 15 E 2<sup>nd</sup> Mer. Indiana

North Between Sec! 8 + 9  
 19.00 A W. Oak 48 in! diam.  
 32.72 To the Maumee River S.E.  
 Set a post Corner to Sec! 7 + 8 from which  
 a Buckeye 18 in! diam. bears S 40 E 22 links dist.  
 a W. Walnut 8 " " " S 33 W 19 " "  
 Land good 2<sup>nd</sup> rate. Timber, Walnut & W. Oak.  
 Hickory. Sugar. Beech, &c.  
 Land good 2<sup>nd</sup> rate. Timber.

North Between Sec! 32 + 33  
 20.13 A B. Ash 24 in! diam.  
 40.00 Set a gr. Sec. post from which  
 a B. Ash 18 in! diam. bears S 69 W 5 links dist.  
 a Lym 6 " " " N. 32 E 8 " "  
 60.00 A Brush Swamp  
 80.00 Set a post Corner to Sec! 28. 29. 32 + 33  
 from which  
 a Willow 4 in! diam. bears N 38 W 14 links dist.  
 an Aspin 8 " " " S 48 E 24 " "  
 Land 3<sup>d</sup> rate. Timber, B. Ash, Elm, Lym  
 Sycamore, Aspin, Alder, Rose briars, &c.

West On Random between Sec! 29 + 32  
 40.00 Set Temporary gr. Sec. post.  
 79.00 Intersect N & S line 20 links South of Post.  
 Land nearly Covered with water & Brush

East Connected between Sec! 29 + 32  
 39.50 Set a gr. Sec. post from which  
 a Willow 3 in! diam. bears S 60 E 11 links dist.  
 a Os 4 " " " N. 75 W 20 " "  
 79.00 To Sec corner

North Between Sec! 28 + 29  
 4.00 Left the swamp.



T 31 N. R 15 E 2nd Mer. Indiana. 59

- 25.50 To an Elm 30 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a Lym 6 in. diam. bears S 53 E, 23 links dist. &  
 a Hickory 10 in. " " N. 53 W. 19 " "  
 65.40 A B. Ash 18 in. diam.  
 81.00 Set a Post Corner to Sec 20. 21. 28 & 29 from which  
 a Sycamore 15 in. diam. bears S 48 W. 11 links dist. &  
 a Cottonwood 18 " " " N. 33 E. 18 " "  
 Land 3<sup>d</sup> rate. & Wet Timber. B. Ash. Elm.  
 Cottonwood. Lym. &c. &c.

- 
- West On Random between Sec. 20 & 29  
 40.00 Set Temporary gr. Sec. post.  
 79.50 Intersect the N + S line 10 links South of Post.  
 Land 3<sup>d</sup> rate. Timber. B. Ash. Elm. Lym.  
 Cottonwood. Sycamore. Maple. &c.

- 
- East Corrected between Sec. 20 & 29  
 39.75 Set a gr. Sec. post at aver. dist. from which  
 a Lym 6 in. diam. bears S 65 E. 5 links dist. &  
 a Hickory 18 in. " " N. 82 W. 5 " "  
 79.50 To Sec. Corner

- 
- North Between Sec 20 & 21  
 40.00 Set a gr. Sec. post from which  
 a Lym 6 in. diam. bears S 67 E. 79 links dist. &  
 a Do 14 " " " N. 53 W. 16 " "  
 49.00 To a Brush Swamp East.  
 59.20 Left Co.  
 60.12 A Red Oak 36 in. diam.  
 80.00 Set a post Corner to Sec 16. 17 20 & 21  
 from which  
 a Hickory 18 in. diam. bears S 43 E. 29 links dist. &  
 a B. Ash 15 " " " N. 51 W. 30 " "  
 Land 3<sup>d</sup> rate. Timber. B. Ash. Cottonwood  
 Lym. Red & W. Oak. Sycamore. &c.

## T 31 N. R 15 E 2nd Mer. Indiana.

West On Random between Sec. 17 + 20  
 40.00 Set Temporary of Sec. post.  
 81.00 Intersect Mt. + S line at post.  
 Land 3<sup>d</sup> rate. Timber. W. B. Ash. Elm.  
 Linn. Cottonwood. Sycamore &c. &c.

East Corrected between Sec. 17 + 20  
 41.50 Set a gp. Sec. post at aver. dist. from which  
 a Red Oak 36 in. diam. bears S. 78 W. 29 links dist.  
 Va Linn 12 " " " N. 68 E. 12 " "  
 81.00 To Sec. Corner

North Between Sec. 16 + 17  
 25.82 A Red Oak 46 in. diam.  
 40.00 Set a gp. Sec. post from which  
 a Cottonwood 36 in. diam. bears S. 38 E. 5 1/2 links dist.  
 Va Sycamore 18 " " " N. 69 W. 28 " "  
 80.00 Set a post Cor. to Sec. 8. 9. 16 + 17 from which  
 a Hickory 12 in. diam. bears S. 12 E. 4 links dist.  
 a Beech 30 " " " N. 35 W. 20 " "  
 Land 3<sup>d</sup> rate. Timber W. + B. Ash. Elm.  
 Linn. &c. &c.

West Between Sec. 8 + 17 On Random  
 40.00 Set Temporary of Sec. post  
 82.95 Intersect Mt. + S line at post.  
 Land 2<sup>nd</sup> rate. Timber. W. + B. Ash. Elm.  
 Hickory. Beech. W. Oak. Sugar. Spice &c.

East Corrected between Sec. 8 + 17  
 41.97 Set a gp. Sec. post at aver. dist. from which  
 a Beech 8 in. diam. bears S. 24 W. 20 links dist.  
 a Red Oak 30 " " " N. 35 E. 20 " "  
 82.95 To Sec. Corner

North Between Sec. 8 + 9

61

T 31 N R 15 E 2nd Mer. Indiana.

- 30.95 A Hickory 24 in. diam.  
 40.00 Set a q. Sec post from which  
 a W. Ash 18 in. diam. bears S 47 W. 40 links dist. &  
 a B. Ash 4 " " " N. 41 E. 4 " "  
 58.00 To Maumee Bottom  
 60.62 A Burr Oak 24 in. diam.  
 82.00 Intersect the Maumee River S E + Set a post.  
 Corner to Sec. 8 + 9 from which  
 a Buckeye 14 in. diam. bears S 23 E 50 links dist.  
 & a Blue Ash 28 " " " N. 4 W. 32 " "  
 Land last 1/4 mile 1<sup>st</sup> rate. Timber Oak,  
 Beech, Sugar, Walnut, Hickory, B. Ash, &c.

North Between Sec. 33 + 34

- 32.86 A B. Ash 18 in. diam.  
 40.00 Set a q. Sec post. from which  
 a Linn 6 in. diam. bears S 32 W. 21 links dist. &  
 a O 12 " " " N. 45 E 11 " "  
 63.25 A B. Ash 18 in. diam.  
 80.00 Set post. Corner to Sec. 27 28 33 + 34  
 from which  
 a B. Ash 28 in. diam. bears S 79 E 38 links dist.  
 & a O 24 " " " N. 79 W 25 " "  
 Land covered with water which runs  
 slowly to the Eastward. Timber. B. Ash,  
 Elm. Ironwood Cottonwood &c.  
 Old Logs.

West On Ransom between Sec. 28 + 33

- 22.72 An Elm 28 in. diam.  
 40.00 Set a Temporary q. Sec post  
 54.50 Swamp very Bushy. S.E.  
 80.00 Intersect the N + S. line 10 links North  
 of the post.  
 Land East of the Swamp 3<sup>rd</sup> rate, Timber,  
 Elm. B. Ash. Hickory. Linn. &c. &c.



T 31 N. R 15 E 2<sup>nd</sup> Mer. Indians

East Corrected between Sec. 28 + 33

40.00 Set a gr. Sec. post on true line from which  
 40.00 a Hickory 18 in. diam. bears S. 67 N. 32 W. 32 lbs. dist.  
 40.00 a Do 8 " " " N. 64 E. 9 " "  
 80.00 To the corner

North Between Sec. 27 + 28

24.13 An Elm 24 in. diam.  
 40.00 Marked an Elm 10 in. diam. for  $\frac{1}{4}$  Sec. Corner  
 64.62 A Burr Oak 24 in. diam.  
 80.00 Set post corner to Sec. 21 22. 27 + 28  
 from which  
 a B. Ash 18 in. diam. bears S. 37 E. 38 lbs. dist.  
 a Do 24 " " " N. 56 W. 22 " "  
 Land very wet. Timber. B. Ash. Elm.  
 Cottonwood. Sycamore &c.  
 Old Logs. B. Ash &c.

West On Random between Sec. 21 + 28

40.00 Set Temporary gr. Sec. post.  
 79.70 Intersect the N & E line 18 links N. of Post.  
 Land wet 3<sup>rd</sup> rate. Timber. Cottonwood.  
 B. Ash. Elm. &c. &c.

East Corrected between Sec. 21 + 28

39.85 Set a gr. Sec. post from which  
 an Elm 14 in. diam. bears S. 47 W. 14 links dist.  
 a Maple 8 " " " N. 47 E. 22 " "  
 79.70 To the corner

North Between Sec. 21 + 28

11.26 A Black Hickory 18 in. diam.  
 40.00 Marked a Burr Oak 40 in. diam. for  $\frac{1}{4}$  Sec. post  
 63.50 To a Brush Swamp. N. E.  
 72.50 Left the same  
 80.00 Set a Post. Cor. to Sec. 15. 16. 21 + 22 from which

63

T 31 R 15 E 2nd Mer. Indiana.

a Linn 16 in. diam. bears S. 42 E, 32 links dist. &  
 a Hickory 20 " " " N. 83 W, 9  
 Land 3<sup>d</sup> rate. Timber, B. Ash. Elm, Linn,  
 Maple &c. &c.,

West On Random between Sec. 16 & 21

29.67 A Linn 16 in. diam. bears  
 40.00 Set temporary gr. Sec. post.  
 79.50 Intersect the N & S line 40 links North of Post  
 Land 3<sup>d</sup> rate. Timber, B. Ash. Linn,  
 Elm, Cottonwood, &c. &c.,

East Corrected between Sec. 16 & 21

39.75 Set a gr. Sec. post at aver. dist. from which  
 a B. Ash 12 in. diam. bears S. 51 W, 15 links dist. &  
 a Linn 14 " " " N. 33 E, 20 " "  
 79.50 To Sec. corner

North Between Sec. 15 & 16

20.50 A W. Ash 18 in. diam.  
 40.00 Set a gr. Sec. post. from which  
 a Linn 10 in. diam. bears S. 20 E, 20 links dist. &  
 a Beech 18 " " " N. 8 W, 14 " "  
 60.36 A Red Oak 28 in. diam.  
 80.00 Set a post Corner to Sec. 9, 10, 15 & 16 from which  
 a Hickory 20 in. diam. bears S. 28 W, 22 links dist. &  
 a B. Ash 14 " " " N. 49 E, 27 " "  
 Land 3<sup>d</sup> rate. Timber, Beech, B. Ash,  
 Elm, Linn, Hickory, Cottonwood, Sycamore,

West On Random between Sec. 9 & 16

20.84 A B. Ash 20 in. diam.  
 40.00 Set Temporary gr. Sec. post.  
 57.75 A Run 10 links wide. Course N. E.  
 60.50 An Elm 24 in. diam.  
 79.50 Intersect the N & S line at post.

## T 31 N. R. 15 E 2nd Mer. Indiana,

Land 3<sup>rd</sup> rate. Timber: B. Ash. Hickory,  
Lynn, Beech, &c. Undergrowth Spice,

East Corrected between Sec. 9 + 16  
30.84 A B. Ash 28 in. diam.  
39.75 Set a gp. See post. at aver. dist. from which  
an Elm 18 in. diam. bears S 32 W 22 lks dist.  
a Do 24 " " " N 24 E 12 " "  
79.50 To Sec Corner

North Between Sec. 9 + 10  
20.90 A Hickory 12 in. diam.  
27.00 To the Maumee River N. E.  
Set post on the Bank Corner to Sec. 9 + 10  
from which  
a Maple 18 in. diam. bears S 25 E 19 lks. dist.  
a Dogwood 8 " " " S 35 W 20 " "  
Land 2<sup>nd</sup> rate Rich Bluff. Timber  
W. Oak. Hickory, Beech, &c. &c.

North Between Sec. 34 + 35  
40.00 Set a gp. See post. from which  
a B. Ash 18 in. diam. bears S 64 W 11 lks dist.  
a Do 10 " " " N 60 E 24 " "  
68.10 To a Black Ash 18 in. diam.  
80.00 Set a post Corner to Sec. 26. 27. 34 + 35  
from which  
a Maple 6 in. diam. bears S 38 E 26 lks dist.  
a B. Ash 10 " " " N 60 W 28 " "  
Land wet. water runs Eastward. Timber  
B. Ash. Elm. Cottonwood, Sycamore, &c.

West On Random between Sec. 27 + 34  
40.00 Set Temporary gp. See post.  
80.00 Intersect the N + E line at post.  
Land 3<sup>rd</sup> rate. Timber Cottonwood, Sycamore,

T B1 N R 15 E 2nd Mer Indiana.

65

B. Ash. Elm &c. &c.

East Corrected between Sec. 27 & 34  
40.00 Set a gr. Sec. post on true line from which  
a Syc 6 in. diam. bears S. 27 E. 12 links dist. &  
a Do 14 " " " N. 27 W. 20 " "  
80.00 To Sec. Corner

East Between Sec. 26 & 35  
23.64 Intersect State line and  
Set post Corner to Sec. 26 & 34 from which  
a B. Ash 8 in. diam. bears S. 71 W. 15 links dist. &  
an Elm 10 " " " N. 54 W. 14 " "  
Land 3<sup>d</sup> rate & very poor Timber. B. Ash.  
Elm. Syc. Cottonwood &c. &c.

North Between Sec. 26 & 27  
40.00 Set a gr. Sec. post. from which  
a Hickory 10 in. diam. bears S. 26 E. 24 links dist.  
a Do 15 " " " N. 18 W. 11 " "  
50.12 An Elm 24 in. diam.  
60.00 Set a post Corner to Sec. 22. 23. 26 & 27  
from which  
a Hickory 24 in. diam. bears S. 37 W. 35 links dist. &  
a Do 30 " " " N. 15 E. 33 " "  
Land 3<sup>d</sup> rate. Timber. B. Ash. Syc.  
Elm. Hickory. &c.

West On Random between Sec. 22 & 27  
15.70 To a Windfall  
29.00 Left Do  
40.00 Set a gr. Sec. post (Vimp?)  
55.40 A B. Ash 14 in. diam.  
80.00 To Sec. Corner.  
Land 3<sup>d</sup> rate. Timber. B. Ash. Elm. &c. &c.



## T B 1 N R 15 E 2nd Nu. Indiana

East Corrected between Sec! 22 + 27  
 40.00 Set a gr Sec. post from which  
 a Syc 12 in! diam. bears S. 40 W. 20 links dist &  
 a B. Ash 10 in! " " N. 53 E. 21 " "  
 80.00 To the corner

East Between Sec! 23 + 26  
 → 10.70 A W. Ash 24 in! diam.  
 25.20 Intersect the State line and  
 Set a post Corner to Sec! 23 + 26 from which  
 a W. Ash 20 in! diam. bears N. 75 W. 15 links dist &  
 a Syc 15 " " " S. 28 W. 45 " "  
 Land 3<sup>d</sup> rate.

North Between Sec! 22 + 23  
 27.11 A B. Ash 14 in! diam.  
 40.00 Set a gr Sec. post from which  
 a Syc 14 in! diam. bears S. 76 E. 37 links dist &  
 a Hickory 30 " " " N. 53 W. 28 " "  
 63.16 a Burr Oak 24 in! diam.  
 80.00 Set a post Corner to Sec! 14. 15. 22 + 23  
 from which  
 a Syc 14 in! diam. bears S. 69 E. 22 links dist &  
 a B. Ash 15 " " " N. 50 W. 32 " "  
 Land 1<sup>st</sup> 1/2 mile very wet. Water Runs East.  
 Last 1/2 mile 3<sup>d</sup> rate. Timber. W. + B. Ash,  
 Elm. Syc. Oak. &c. &c.

West On Random between Sec! 15 + 22  
 20.12 A W. Ash 18 in! diam.  
 40.00 Set Temporary gr. Sec. post.  
 60.00 To Swamp N.E.  
 75.50 Left Do  
 79.85 Intersect the N + S line at post.  
 Land 3<sup>d</sup> rate. Timber. W. + B. Ash. Elm.  
 Syc. Hickory. Sugar. &c.

T 31 N. R 15 E 2nd Mer. Indiana,

67

East Corrected between Sec. 15 + 22

39.92 Set a gr. Sec. post at aver. dist from which  
a Hickory 18 in. diam. bears S 75 E 19 links dist  
a Buck 14 " " " N. 22 W. 29 " "  
79.85 To the corner

East Between Sec. 14 + 23

27.00 Intersect the State line and  
Set a post Corner to Sec. 14 + 23 from which  
a Hickory 14 in. diam. bears S 45 W. 18 1/2 dist  
a W. Ash 24 " " " N. 75 W. 35 " "  
Land 3<sup>d</sup> rate. Timber. W. Ash. B. Ash, Elm  
Lynn, Hickory.  $\frac{1}{2}$ ,  $\frac{1}{2}$

North Between Sec. 14 + 15

24.00 A Brushy Swamp NE

30.00 Left Do

33.48 A Hickory 18 in. diam.

40.00 Set a gr. Sec. post from which  
a Hickory 18 in. diam. bears S 60 E 11 links dist  
a Do 12 " " " N. 48 W. 26 " "

63.55 An Elm 18 in. diam.

80.00 Set a post Cor. to Sec. 10. 11. 14 + 15 from which  
a B. Ash 6 in. diam. bears S 11 E 12 links dist  
a Do 15 " " " N. 7 W. 18 " "  
Land level 3<sup>d</sup> rate. Timber. W. + B. Ash,  
Elm. Lynn, Hickory, Sycamore, Cottonwood  
 $\frac{1}{2}$ ,  $\frac{1}{2}$ .

West On Random between Sec. 10 + 15

40.00 Set Temporary gr. Sec. post.

79.50 Intersect N + P line at post.

Land covered with water. Timber. Cottonwood,  
Sycamore, Elm. B. Ash.  $\frac{1}{2}$ .

East Corrected between Sec. 10 + 15

## T 31 N. R. 15 E 2nd Mer. Indiana.

34.75 Set a gr. Sec. post at even dist. from which  
 a Maple 6 in. diam. bears S. 48 E. 14 lks. dist. &  
 a Hickmore 12 " " " N. 61 W. 20 " "

79.50 To Sec. corner

East Between Sec. 11 & 14

28.92 Intersect the State line and  
 Set a post Corner to Sec. 11 & 14 from which  
 a Linn 12 in. diam. bears S. 70 W. 32 lks. dist. &  
 a Do 8 " " " " N. 68 W. 11 " "

Land 3<sup>rd</sup> rate. Timber B. Ash. Elm.  
 Linn Hickory. &c. Undergrowth P. Ash.  
 Water Birch. &c. &c.

North Between Sec. 10 & 11

26.00 A Red Oak 18 in. diam.

40.00 Set a gr. Sec. post from which  
 a Mulberry 12 in. diam. bears S. 60 E. 33 lks. dist. &  
 a B. Ash 10 " " " " N. 80 W. 26 " "

40.60 A Run 10 links wide. Course, N. W.

45.97 Intersect the Maumee River N. E. and  
 Marked a Hickory 10 in. diam. for Corner to  
 Fractional Sections 10 & 11

North On the State line from the Corner of Sec.  
 11 & 14 from which

68.00 To the Bank of the Maumee River

Down the same on the Bank.

87.00 Set post Corner to Sec. - & 11 from which  
 a Sugar 8 in. diam. bears S. 10 W. 2 links dist. &  
 a Do 8 " " " " N. 6 W. 9 " "

Land 2<sup>nd</sup> rate. Timber. W. Oak. Birch. Sugar,  
 Hickory &c. &c.

Surveyed by  
 James Riley, C. S.

T 31 N. R. 15 E 2nd Mer. Indiana. 69

Meanders of the South side or Right Bank of the Maumee River in Town 31 North. & Range 15 East of the 2nd Mer. in the State of Indiana. Commencing on the State Line. 87.00 North from the Corner of Sec. 11 & 14 and running thence up the River. in Sec. 11

Courses Distances. Remarks

S 2 W 18.00

S 29 W 10.00

S 33 W 6.00

S 47 W 6.00 opposite lower end of an Island.

S 79 W 7.00 High Bank.

N 85 W 5.00

N 79 W 3.00 Intersect the line between Sec. 10 & 11

N 83 W 7.00 At 5.00 Mouth of a Run and upper end of an Island.

N 65 W 10.00

N 51 W 6.50

N 13 W 6.20 At 5. mouth of a Run 10 from West.

N 6 E 7.50

N 25 E 8.50

N 18 W 6.00

N 64 W 6.00

Bottom

S 58 W 5.00

S 36 W 13.50

S 67 W 22.50

S 26 W 12.20 At 6.00 a Run from S.E. 10 links wide.

S 16 W 7.90 A Run from S.E. 6 links wide

S 39 W 10.66 High Bank

S 49 W 8.80 Intersect the line between Sec. 9 & 10

S 79 W 8.00

N 44 W 15.50 A Run 5 links wide. from S.W.

N 22 W 6.00 A Do 10 " " " S.W.



Courses	Distances	Remarks
N 11 W	8.25	
N 28 W	3.00	
N 10 W	12.10	In Sec 9
N 14 E	8.00	
N 52 E	5.00	Bottom
N 69 E	10.50	
N 23 E	7.00	
N 8 W	13.50	
N 6 E	16.35	
N 18 W	8.30	
N 78 W	6.30	Bottom
S 65 W	8.50	Opposite lower end of an Island.
S 9 W	13.25	
S 11 E	7.50	
South	16.00	Upper end of an Island.
S 10 W	7.10	
S 28 W	29.00	
N 73 W	5.75	High Bank
N 79 W	11.15	
N 51 W	7.10	
N 23 W	7.55	At 2.50 A Run 5 links wide S.W.
N 24 W	9.22	
N 40 W	11.14	Bottom
N 51 W	2.00	Intersect the Corner to Sec. 8 & 9
<hr/>		
N 85 W	8.20	
S 47 W	13.00	
S 18 W	16.00	
S 36 W	12.90	Bottom
S 32 W	9.50	
S 17 W	10.00	In Sec 8
S 33 W	8.00	
S 61 W	12.00	At 6.50 A Run 10 links wide from South.
S 87 W	7.50	
N 78 W	12.00	High Bank.

71

T 31 N. R 15 E 2nd Mer. Indiana.

Courses	Distances	Remarks.
N 52 W	6.40	At 4.20 A Run from the West.
N 43 W	10.50	At 5.50 A Co " West 10 links wide.
N 47 W	1.20	Intersect the line between Sec. 7 & 8

---

N 61 W	13.50	
S 67 W	6.00	Bottom.

---

Meanders of the South side of Maumee River

S 25 W	5.00	
S 51 W	12.70	
S 16 W	10.50	
S 9 E	6.30	Bottom
S 3 E	7.00	
S 30 W	1.94	Intersect the line between Sec. 7 & 18

---

S 20 E	12.50	At 6.00 A Run from East.
S 15 W	9.50	
S 22 W	4.00	
S 34 W	9.00	
S 49 W	5.00	In Sec 18
<del>S 49 W</del>	<del>5.00</del>	
S 75 W	6.75	
N 81 W	12.50	High Bank
N 56 W	5.50	
N 45 W	4.50	
N 20 W	5.20	A Run from West
N 42 W	6.50	Bottom
N 66 W	8.82	Intersect the Range line between Ranges 14 & 15.

1823.

Surveyed by  
James Riley  
Ct. Surveyor

T 31 N. R 15 E 2<sup>nd</sup> Mer. Indiana.

## Subdivisions North of the Maumee River

North Between Sec. 9 &amp; 10

32.75 Over the River. Marked a W. Ash 8 in. diam. for Meander post.

40.00 Set a gp. Sec. post from which  
a Buckeye 5 in. diam. bears N 78° E 17 1/2 links dis. &  
a Do 5 " " " S 28° E 25 " "

59.36 A Buck 20 in. diam.

80.00 Set a post Corner to Sec. 3, 4, 9 & 10  
from which

a Buck 5 in. diam. bears S 83° E 8 links dis. &amp;

a Do 11 " " " S 31° W 15 " "

Land level 1<sup>st</sup> rate. Timber. Birch, Hickory,  
W. Oak, Buckeye. &c. &c.

East Between Sec. 3 &amp; 10

To close on Knaggs Reserve

19.28 A W. Oak 12 in. diam.

40.00 Set a gp. Sec. post. from which  
an Elm 3 in. diam. bears S 29° W 4 links dis. &  
a Spruce 7 " " " S 26° W 5 " "

45.78 River Maumee. Course N.E.

A Maple 8 in. diam.

64.30 Leave Maumee. Course South

Set Meander post. from which

a W. Oak 26 in. diam. bears East 15 1/4 links dis. &amp;

66.47 An Elm 7 " " at Intersection of  
Knaggs Reserve. 30.19 links South to  
the Upper Corner of Reserve. On River  
from which

an Ironwood 6 in. diam. bears S 36° W 12 links dis.

Land &amp; Timber same as before.

North Between Sec. 3 &amp; 4

23.15 A W. Oak 9 in. diam.

C. M. M.

I 31. N. R 15 E 2<sup>nd</sup> Mer. Indiana. 13

40.10 Set a gr. Sec. post. from which  
a Linn 11 in. diam. bears N. 51 E. 30 links dist. &  
a W. Ash 16 " " " S. 87 W. 33 " "

67.95 An Elm 10 " " "

85.70 Intersect the North Boundary 34 links East  
of the Post.

Set a post Corner to Sec. 3. + 4 from which  
a Beech 18 in. diam. bears S. 75 W. 30 links dist. &  
an Elm 18 " " " S. 65 E. 33 " "

Land level + 1<sup>st</sup> rate Timber. Sugar Ash,  
Lynn, Black + W. Ash, W. + Red Oak,  
Hickory. &c. &c.

---

South Between Sec. 2 + 3

To Close in Knaggs Reserve

26.56 Intersect Reserve line 13.90 links East of  
the N.W. Corner of Reserve. + Set a post Cor.  
to Sec. 2 + 3 from which

a Hickory 7 in. diam. bears N. 52 W. 20 links dist. &  
a Black Ash 4 " " " N. 18 E. 11 " "

Land level + Mt. Timber. Elm. Beech. Lynn,  
Black + W. Ash, &c. &c.

March 1<sup>st</sup> 1829

William Brookfield,  
D. S.

---

East On Pandemon between Sec. 4 + 9

9.00 Over River + Set post. from which  
a Linn 10 in. diam. bears N. 84 E. 28 links dist. &  
a Sugar 22 " " " N. 2 W. 35 " "

40.00 Set Temporary gr. Sec. post.

47.00 Came to the River. Course North.

51.25 Leave the River

71.50 Came to River. Course, S.W.

75.00 Leave same

80.20 Intersect the N + S line 15 links South of Post  
Land + Timber same as before. between Sec. 9 + 10



## T 31 N. R 15 E 2nd Mer Indians

- West  
 5. 30 Connected between Sec. 4 & 9  
 To River and set Meander post from which  
 a W. Oak 10 in. diam. bears S. 53 E. 45 links dist. &  
 a Do 10 " " " S. 4 E. 28 " "
33. 20 Leave River (last time) set post.  
 from which a  
 Butternut 16 in. diam. bears N 67 W 42 links dist. &  
 a Maple 5 " " " S. 59 W. 45 " "
40. 10 Set a gr. Sec post at aver. dist. from which  
 a Buckeye 18 in. diam. bears S. 12 E. 16 links dist. &  
 a Hickory 8 " " " S. 45 E. 5 " "
80. 20 To the Corner

- North  
 7. 40 Over River and set Meander post  
 a Red Oak 16 in. diam. is Meander post
21. 00 A Hickory 15 in. diam.
40. 00 Set a gr. Sec post from which  
 a Black Ash 9 in. diam. bears S. 14 E. 26 links dist. &  
 a Linn 5 in. diam. " S. 58 W. 7 " "
62. 00 A Red Oak 30 in. diam.
83. 70 Intersect the North Boundary 3.00 links  
 East of the Post.  
 Set a post Corner to Sec. 4 & 5 from which  
 a Beech 18 in. diam. bears S. 3 W. 31 links dist. &  
 an Elm 14 " " " S. 6 E. 10 " "
- Land level & rich & met Timber, Hickory,  
 W. & Red Oak. Beech, W. & Black Ash, Elm,  
 Linn. &c. &c.

- North  
 38. 83 Between Sec. 7 & 8  
 Over Maumee River and marked a  
 Red Oak 6 in. diam. for Meander Post.
40. 00 Set a gr. Sec. post from which  
 a W. Oak 14 in. diam. bears S. 47 E. 14 links dist. &  
 a Do 5 " " " S. 30 E. 15 " "

57.00 A Hickory 15 in. diam. b  
 80.00 Set a post Corner to Sec. 5, 6, 7 & 8 from which  
 a Beech 16 in. diam. bears S. 15 1/2 W. 40 links dist. &  
 a Linn 10 " " " S. 82 W. 28 " "  
 Land level 1<sup>st</sup> rate. Timber. Beech. Hickory.  
 Linn. W. Oak. W. Ash &c. &c.

East On Random between Sec. 5 & 8  
 33.50 A Brook 20 links wide. Course, S. E.  
 40.00 Set temporary q. Sec. post.  
 64.62 Came to River  
 84.62 Intersect N & S line at Post. exactly, or 2 chs.  
 South of Meander post.  
 Land &c. same as before.

West Corrected between Sec. 5 & 8  
 20.00 Set Mr. Post from which  
 a W. Oak 16 in. diam. bears N. 49 E. 9 links dist. &  
 a Do - 15 " " " N. 40 W. 19 " "  
 42.31 Set a q. Sec. post. at aver. dist. from which  
 a Beech 16 in. diam. bears N. 8 1/2 W. 25 links dist. &  
 a Do 10 " " " N. 71 E 34 " "  
 84.62 To Sec. corner.

West Between Sec. 6 & 7  
 20.73 A Hickory 18 in. diam.  
 40.00 Marked a Linn 11 in. diam. for 1/4 Sec. Corner.  
 58.96 A Sycamore 22 in. diam.  
 87.93 Intersect the West Boundary 300 links South  
 of the Post.

Set post Corner to Sec. 6 & 7 from which  
 an Elm 10 in. diam. bears N. 68 1/2 E. 21 links dist. &  
 a W. Oak 26 " " " S. 15 E. 17 " "

Land & Timber same as before.

Tuesday. March 3<sup>d</sup> 1829.

To morrow will be the Inauguration of Genl. Andrew Jackson.

## T 31 N. R 15 E 2nd Mer. Indiana.

North Between Sec. 5 & 6  
 37.73 A W. Oak 18 in. diam.  
 40.08 Set a gp. Sec. post. from which  
 a Black Ash 10 in. diam. bears S. 55 W. 9 links dis. &  
 a Linn 6 " " " S. 77 E. 9 " "  
 60.78 A W. Oak 30 in. diam.  
 83.50 A Brook 30 links wide. Course N.E.  
 86.75 Intersect the North Boundary 27 links East  
 of the Post.  
 Set post Corner to Sec. 5 & 6 from which  
 a Birch 20 in. diam. bears S. 42 W. 12 links dis. &  
 a W. Ash 6 " " " S. 33 E. 36 " "  
 Land &c same as before.  
 March 3<sup>d</sup> 1829

West Between Sec. 7 & 18  
 36.29 Over Maumee & marked an Elm 16 in. diam.  
 for Meander post.  
 40.00 Set a gp. Sec. post from which  
 a Birch 6 in. diam. bears S. 76 E. 27 links dis. &  
 a Do 5 " " " N. 52 1/2 W. 10 " "  
 59.43 A Hickory 12 in. diam.  
 81.53 Intersect the West Boundary 2.11 links South  
 of the Post.  
 Set a post Corner to Sec. 7 & 18 from which  
 a Sugar 9 in. diam. bears S. 60 E. 40 links dis. &  
 a Birch 16 " " " N. 67 1/2 E. 37 " "  
 Land level 1<sup>st</sup> rate. Timber. Birch. Sugar.  
 W. Oak Red Oak &c. &c.  
 March 4<sup>th</sup> 1829

M Meanders of the Left Bank of the Maumee  
 River in Town 31 North Range 15 East.  
 Beginning at the upper Cor. of Knaggs  
 Reserve: Thence.

on State line

77

T 31 N. R 15 E 2<sup>nd</sup> Mer. Indiana.

Courses	Distances	Remarks.
S 84 1/2 W	2.00	
N 60 W	4.00	
N 40 W	4.00	In Sec 10
N 9 W	9.00	
N 19 1/2 E	12.00	
N 16 W	5.25	To Meander Post between Sec. 3 + 10
<hr/>		
N 45 1/2 W	6.00	In Sec. 3
N 77 W	7.50	
S 50 1/4 W	9.50	To Meander Post between Sec. 3 + 10
<hr/>		
S 17 W	5.50	
S 61 W	11.50	In Sec. 10 again
S 78 1/2 W	6.00	
S 54 W	15.00	
E 20 1/4 W	15.00	
S 34 1/4 W	3.50	
S 42 1/4 W	13.75	To Meander Post between Sec. 3 + 10
<hr/>		
S 18 W	1.50	
S 63 W	3.00	
N 68 W	5.00	In Section 9
N 46 W	8.00	and quit March 1 <sup>st</sup> 1829
N 25 1/2 W	8.50	
N 16 1/3 W	24.00	
N 27 1/2 E	7.00	
N 46 1/2 E	3.00	
N 56 3/4 E	14.00	To Meander Post between Sec. 4 + 9
<hr/>		
N 11 E	9.00	
N 10 1/2 W	15.00	In Section 4
N 20 1/2 E	9.00	
N 38 1/2 W	10.50	
N 62 W	8.00	
S 86 1/2 W	14.00	



## T 31 N R 15 E 9th Mer. Indiana.

Courses	Distances	Remarks
S 60° W	6.50	To lower end of little Island.

S 37° W	5.00	
---------	------	--

S 73° W	3.50	
---------	------	--

S 4° E	10.00	Leave Island
--------	-------	--------------

S 8° E	14.00	
--------	-------	--

S 3° W	9.00	
--------	------	--

S 30° W	0.80	To Meander Post between Sec. 4 & 9
---------	------	------------------------------------

S 6° E	1.50	
--------	------	--

S 22° W	22.50	
---------	-------	--

S 63° W	7.00	
---------	------	--

S 18° W	6.00	In the 4
---------	------	----------

S 61° W	7.50	
---------	------	--

S 31° W	5.00	
---------	------	--

S 20° W	8.50	
---------	------	--

S 31° W	7.00	
---------	------	--

S 28° W	3.70	To Meander post between Sec. 4 & 9
---------	------	------------------------------------

S 50° W	12.00	To Meander post between Sec. 4 & 5
---------	-------	------------------------------------

S 88° W	8.00	In Sec 5
---------	------	----------

S 64° W	7.00	
---------	------	--

S 53° W	7.30	To Meander Post between Sec. 5 & 8
---------	------	------------------------------------

S 41° W	2.50	
---------	------	--

S 22° W	5.00	
---------	------	--

S 16° W	6.00	
---------	------	--

South	3.50	In the 8
-------	------	----------

S 31° W	18.00	
---------	-------	--

S 16° W	17.50	
---------	-------	--

S 46° W	9.00	
---------	------	--

S 58° W	5.00	
---------	------	--

S 70° W	5.50	
---------	------	--

S 84° W	5.00	At 3 chains. Grassy Creek. Course S.E.
---------	------	--

S 65° W	7.00	To lower end of Island.
---------	------	-------------------------

S 62° W	4.50	
---------	------	--

79

T 31 N. R 15 E 2<sup>nd</sup> Mer. Indiana,

Courses	Distances	Remarks.
N 54 W	15.50	At 11 chains leave Island
N 26 W	2.37	To Meander Post. between Sec. 7 & 8

N 50 W	3.50	
N 58 1/2 W	6.00	
N 86 1/2 W	5.50	
S 82 W	4.00	In Section 7
S 55 W	6.00	
S 43 1/2 W	4.00	
S 38 W	5.50	
S 46 1/2 W	7.00	
S 31 W	7.50	
S 19 W	3.50	
South	4.00	
S 9 E	13.00	
S 7 1/2 E	2.00	To Meander post between Sec. 7 & 18.

S 8 1/3 E	5.50	
S 3 W	16.00	
S 16 1/2 W	7.00	
S 54 1/2 W	5.00	In Sec 18
S 75 1/4 W	5.50	
N 75 1/2 W	16.50	
N 48 1/2 W	15.00	
N 59 W	14.81	To Meander post between Ranges 14 & 15

March 4<sup>th</sup> 1829

Surveyed by  
William Brookfield  
Sept Surveyor.

T 31 N. R 15 E 2<sup>nd</sup> Mer. Indiana.

Pursuant to a Contract dated the 4<sup>th</sup> of Nov-  
1828. And instructions from Edward-  
Tiffin, Surveyor General of the United-  
States. I have Surveyed and subdivided  
into Sections, Township No 31 North, Range  
No 15 East of the 2<sup>nd</sup> Mer in the State of  
Indiana. And I Certify that the foregoing  
are the true and Correct Field Notes of the  
lines which they purport to be, as part of  
the said Contract.

Certified this 4<sup>th</sup> day of May 1829.

William Brookfield.  
S. S.

I Certify that the foregoing transcripts of  
the Field Notes of Township No 31 North, Range  
No 15 East of the 2<sup>nd</sup> Mer. in the State of Indiana  
has been Compared with the original Notes  
in this Office and found to be Correct.

Surveyor General's Office }  
Cincinnati Feb 22 1845 }

William Johnston  
Svr. Genl.